# /e-Zer-6225-de / 01.06.2023

# Certificate of Constancy of Performance



Certificate No.: 0757-CPR-229EAD-404301-1-6

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product

### **Door hinges**

Product description/ specification PIVOTA DX 6x 3-D..., PIVOTA DX 10x 3-D..., PIVOTA DXS 10x 3-D Steel..., PIVOTA DXE 100 3-D Enox

Levels and classes of performance

According to configuration in annex 1

Intended use(s)

Intended for use on doors in escape routes with requirements for fire resistance and smoke control

placed on the market under the name or trade mark of

Gewerbegebiet Echternhagen 2, DE-32689 Kalletal-Hohenhausen

and produced in the manufacturing plant(s)

Bartels Systembeschläge GmbH

Bartels Systembeschläge GmbH

Notified body No. EC-Reference-No.

Gewerbegebiet Echternhagen 2, DE-32689 Kalletal-Hohenhausen

0757

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in the

ETA-08/0209 dated 27.06.2018

 ${\sf And}$ 

#### EAD 020001-01-0405 vom März 2017

under system 1 for the performance set out in the ETA are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product**.

This certificate was first issued on 11.03.2009 and will remain valid until 01.07.2027, as long as neither the ETA, the EAD, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The use of this certificate and the marking of the products are bound by an existing certification and surveillance contract with the **ift** Rosenheim no. 229FAD 404301





EOTA-EAD 020001-01-0405 2017-03 EAD 020001-01-0405














www.ec.europa.eu

Identity check



www.ift-rosenheim.de/ ift-zertifiziert ID: CDE-B3C61

# Certificate of constancy of performance

Annex 1 Page 1 of 2

Certificate holder: Bartels Systembeschläge GmbH

Date of issue: 02.07.2024





#### Compilation of locks:

No. 1:

Product designation: PIVOTA DX 6x 3-D

Hinge type: multi-axis, concealed hinges

Material: Steel, Aluminium

Fastening: milled in frame element and screw-fitted with

4 screws and milled in leaf element and screw-fitted with 4 screws

Test report: 17-003108-PR01 of 01 March 2018

| Classification: | 4 | 7 | 5 | 1 | 1 | 3 | 1 | 12

Intended use: Intended for use on doors in escape routes with requirements for fire

resistance and smoke control made of wood and metal

No. 2

Product designation: PIVOTA DX 10x 3-D

Hinge type: multi-axis, concealed hinges

Material: Steel, Aluminium

Fastening: milled in frame element and screw-fitted with

4 screws and milled in leaf element and screw-fitted with 4 screws

Test report: 17-003108-PR02 of 01 March 2018

 Classification:
 4
 7
 6
 1
 1
 3
 1
 13

Intended use: Intended for use on doors in escape routes with requirements for fire

resistance and smoke control made of wood and metal

## Certificate of constancy of performance

Annex 1 Page 2 of 2

Certificate holder: Bartels Systembeschläge GmbH

Date of issue: 02.07.2024





No. 3

Product designation: PIVOTA DXS 10x 3-D Steel
Hinge type: multi-axis, concealed hinges

Material: Steel, stainless steel

Fastening: milled in frame element and screw-fitted with

4 screws and milled in leaf element and screw-fitted with 4 screws

Test report: 17-003108-PR03 of 01 March 2018

 Classification:
 4
 7
 7
 1
 1
 3
 1
 14

Intended use: Intended for use on doors in escape routes with requirements for fire

resistance and smoke control made of wood and metal

No. 4

Product designation: PIVOTA DXE 100 3-D Enox
Hinge type: multi-axis, concealed hinges

Material: stainless steel

Fastening: milled in frame element and screw-fitted with

4 screws and milled in leaf element and screw-fitted with 4 screws

Test report: 17-003108-PR03 of 01 March 2018

 Classification:
 4
 7
 7
 1
 1
 3
 1
 14

Intended use: Intended for use on doors in escape routes with requirements for fire

resistance and smoke control made of wood and metal